

SPECIFICATIONS

BOX

Cold rolled steel with an electrostatically applied, thermally-fused polyester coating with recoatable white finish, and a continuous hinge.

DOOR AND FRAME

Model 7007-7029: **Steel** - Cold rolled steel with recoatable white polyester finish

Model 7030-7049: **Aluminum** - Clear anodized finish

Model 7050-7069: **Stainless Steel** - #304 Stainless steel with #4 finish

Model 7070-7089: **Brass** - Polished finish, clear polyester coated



MODEL 7012 (Shown)

MODEL SELECTION

STEEL

- 7007 Recessed
- 7008 Semi-Recessed
- 7009 Surface
- 7010 Recessed
- 7012 Semi-Recessed
- 7013 Semi-Recessed
- 7020 Recessed
- 7021 Trimless
- 7022 Semi-Recessed
- 7023 Semi-Recessed
- 7024 Surface
- 7025 Recessed
- 7026 Trimless
- 7027 Semi-Recessed
- 7028 Semi-Recessed
- 7029 Surface

ALUMINUM

- 7030 Recessed
- 7032 Semi-Recessed
- 7033 Semi-Recessed
- 7037 Recessed
- 7038 Semi-Recessed
- 7039 Surface
- 7040 Recessed
- 7041 Trimless
- 7042 Semi-Recessed
- 7043 Semi-Recessed
- 7044 Surface
- 7045 Recessed
- 7046 Trimless
- 7047 Semi-Recessed
- 7048 Semi-Recessed
- 7049 Surface

MODEL SELECTION (cont.)

STAINLESS STEEL

- 7050 Recessed
- 7052 Semi-Recessed
- 7053 Semi-Recessed
- 7057 Recessed
- 7058 Semi-Recessed
- 7059 Surface
- 7060 Recessed
- 7061 Trimless
- 7062 Semi-Recessed
- 7063 Semi-Recessed
- 7064 Surface
- 7065 Recessed
- 7066 Trimless
- 7067 Semi-Recessed
- 7068 Semi-Recessed
- 7069 Surface

BRASS

- 7070 Recessed
- 7072 Semi-Recessed
- 7073 Semi-Recessed
- 7077 Recessed
- 7078 Semi-Recessed
- 7079 Surface
- 7080 Recessed
- 7081 Trimless
- 7082 Semi-Recessed
- 7083 Semi-Recessed
- 7084 Surface
- 7085 Recessed
- 7086 Trimless
- 7087 Semi-Recessed
- 7088 Semi-Recessed
- 7089 Surface

Call Potter Roemer - Fire Pro for current listings and approvals. Dimensions are subject to manufacturer's tolerance and may change without notice. Potter Roemer - Fire Pro assumes no responsibility for use of void or superseded data. © Copyright Potter Roemer - Fire Pro, Member of Morris Group International™ Please visit potterroemer.com for most current specifications.

7000 SERIES

Date: 09/18/18

MEMBERSHIP



FIRE EQUIPMENT
MANUFACTURERS'
ASSOCIATION

ONFSA
NATIONAL IRRE SPRINKLER ASSOCIATION, INC.



CASPE
American Society of
Plumbing Engineers



POTTER ROEMER/FIRE PRO

Headquarters:
P.O. Box 3527
City of Industry, CA
91744 U.S.A.
Los Angeles Area
800-366-3473
626-855-4890

Also in:
New York (800) 526-4592
Chicago (800) 547-3473
Atlanta (800) 762-0542
Miami (866) 961-3473
Dallas (866) 644-3473

www.potterroemer.com

PRODUCT OPTIONS

DOOR STYLES:

- A Full Glass, w/ Tempered Safety Glass
- B Break-Glass, w/lock & Break Rite® Handle
- D Duo-Panel w/ Tempered Safety Glass
- DV Duo-Vertical Panel w/ Tempered Safety Glass
- DVL Duo-Vertical Panel w/ Lock, TSG & Break Rite® Handle.
- E Tempered Safety Glass (25 sq. in.) w/ Break Rite® Handle
- F Solid Flush Metal
- FS Solid Flush Metal w/ lock

**NOTE: ALL GLASS DOOR STYLES PROVIDED WITH CLEAR TEMPERED SAFETY GLASS IN COMPLIANCE WITH ANSI Z97-1-1984

GLAZING MATERIAL:

- 1 TS Bronze Tempered Safety Glass
- 2 TS Smoke Tempered Safety Glass
- 4 TS Obscure Tempered Safety Glass
- 6 1/8" Clear Acrylic
- 7 1/8" Bronze Acrylic
- 8 1/8" White Acrylic
- 9 1/8" Smoke Acrylic
- 10 1/8" Red Acrylic

PRODUCT OPTIONS (cont.)

DOOR AND FRAME FINISHES:

- STEEL: Any polyester paint color, if available; Provide mfg. name and color number
- ALUMINUM: Light, Medium or Dark duranodic
- STAINLESS STEEL: Number 304 Stainless, with #8 mirror finish
- BRONZE: U.S. # 10 Satin finish with clear coating, or dark oxidized, oil rubbed; specify
- RED: For Red Polyester Finish, Add This Suffix
- RR: For Rolled Radius Return, Add This Suffix
- CUSTOM _____

NON-LOCKING DOOR HANDLES:

- FP Flush Pull Handle

**NOTE: DOOR STYLES -A, -D, -DV, & -F PROVIDED W/ LEVER HANDLE & CAM LATCH

FIRE EXTINGUISHER LETTERING:

- HW Horizontal White
- HB Horizontal Black
- HR Horizontal Red
- VW Vertical White
- VB Vertical Black
- VR Vertical Red
- VAW Vertical Ascending White
- VAB Vertical Ascending Black
- VAR Vertical Ascending Red

Call Potter Roemer - Fire Pro for current listings and approvals. Dimensions are subject to manufacturer's tolerance and may change without notice. Potter Roemer-Fire Pro assumes no responsibility for use of void or superceded data. © Copyright Potter Roemer- Fire Pro, Member of Morris Group International™ Please visit potterroemer.com for most current specifications.

7000 SERIES

Date: 09/18/18

MEMBERSHIP



FIRE EQUIPMENT
MANUFACTURERS'
ASSOCIATION

ONFSA
NATIONAL IRRE SPRINKLER ASSOCIATION, INC.



CASPE
American Society of
Plumbing Engineers



POTTER ROEMER/FIRE PRO

Headquarters:
P.O. Box 3527
City of Industry, CA
91744 U.S.A.
Los Angeles Area
800-366-3473
626-855-4890


Also in:
New York (800) 526-4592
Chicago (800) 547-3473
Atlanta (800) 762-0542
Miami (866) 961-3473
Dallas (866) 644-3473

www.potterroemer.com

MODEL DIMENSIONS

Model No.				Wall Mounting	Inside Box Dimensions			Overall Frame		Wall Opening Required			Trim	For Use With These Extinguishers	ADA
Steel	Aluminum	Stainless Steel	Brass		K	L	M	N	O	W I D T H	H E I G H T	D E P T H			
7007	7037	7057	7077	Recessed	9	18	5	11-3/4	20-3/4	10	19	4-3/4	1/2	3002, 3005, 3005-3, 3302, 3305, 3305-3	Yes
7008	7038	7058	7078	Semi-Recessed	9	18	5	11-3/4	20-3/4	10	19	3-1/4	2		Yes
7009	7039	7059	7079	Surface	11-1/2	20-1/2	6	-	-	-	-	-	-		No
7010	7030	7050	7070	Recessed	9	24	5	11-3/4	26-3/4	10	25	4-3/4	1/2		Yes
7012	7032	7052	7072	Semi-Recessed	9	24	5	11-3/4	26-3/4	10	25	3-1/4	2		Yes
7013	7033	7053	7073	Semi-Recessed	9	24	5	11-3/4	26-3/4	10	25	2-1/4	3		Yes
7020	7040	7060	7080	Recessed	9	24	5-3/4	11-3/4	26-3/4	10	25	5-1/2	1/2	3002, 3005, 3005-3, 3010, 3306, 3310, 3302, 3305, 3305-3, 3306, 3405	Yes
7021	7041	7061	7081	Trimless	9	24	6-1/4	12-3/4	27-3/4	10	25	6	-		Yes
7022	7042	7062	7082	Semi-Recessed	9	24	5-3/4	11-3/4	26-3/4	10	25	4	2		Yes
7023	7043	7063	7083	Semi-Recessed	9	24	5-3/4	11-3/4	26-3/4	10	25	3	3		Yes
7024	7044	7064	7084	Surface	11-1/2	26-1/2	6	-	-	-	-	-	-	No	
7025	7045	7065	7085	Recessed	12	27	8	14-3/4	29-3/4	13	28	7-3/4	1/2	3020, 3202, 3320, 3410	Yes
7026	7046	7066	7086	Trimless	12	27	8-1/2	15-3/4	30-3/4	13	28	8-1/4	-		Yes
7027	7047	7067	7087	Semi-Recessed	12	27	8	14-3/4	29-3/4	13	28	5-1/4	3		Yes
7028	7048	7068	7088	Semi-Recessed	12	27	8	14-3/4	29-3/4	13	28	3-1/4	5		No
7029	7049	7069	7089	Surface	14-5/8	29-3/8	8	-	-	-	-	-	-		No

ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED



<p>Call Potter Roemer - Fire Pro for current listings and approvals. Dimensions are subject to manufacturer's tolerance and may change without notice. Potter Roemer-Fire Pro assumes no responsibility for use of void or superseded data. © Copyright Potter Roemer- Fire Pro, Member of Morris Group International™ Please visit potterroemer.com for most current specifications.</p> <p>7000 SERIES Date: 09/18/18</p>	<p>MEMBERSHIP</p>  <p>NFPA NATIONAL FIRE PROTECTION ASSOCIATION</p> <p>NFAFED NATIONAL FIRE ALARM & SIGNALING ASSOCIATION</p> <p>CASPE AMERICAN SOCIETY OF PLUMBING ENGINEERS</p> <p>NFSA NATIONAL FIRE SPRINKLER ASSOCIATION</p>	<p>POTTER ROEMER/FIRE PRO</p> <p>Headquarters: P.O. Box 3527 City of Industry, CA 91744 U.S.A.</p> <p>Los Angeles Area 800-366-3473 626-855-4890</p> <p>Also in: New York (800) 526-4592 Chicago (800) 547-3473 Atlanta (800) 762-0542 Miami (866) 961-3473 Dallas (866) 644-3473</p> <p>www.potterroemer.com</p>
---	--	--