

## SPECIFICATIONS

### BOX

Manufactured of Galvannealed Steel with an electrostatically applied, thermally-fused polyester coating with recoatable white finish, and a continuous hinge.

### DOOR AND FRAME

Model 8020-8029: **Steel** - Galvannealed Steel with recoatable white polyester finish

Model 8040-8049: **Aluminum** - Clear anodized finish

Model 8060-8069: **Stainless Steel** - #304 Stainless steel with #4 finish

Model 8060-8089: **Brass** - Polished finish, clear



MODEL 8020 (Shown)

## MODEL SELECTION

### STEEL

- 8020 Recessed
- 8021 Trimless
- 8022 Semi-Recessed
- 8024 Surface
- 8025 Recessed
- 8026 Trimless
- 8027 Semi-Recessed
- 8029 Surface

### ALUMINUM

- 8040 Recessed
- 8041 Trimless
- 8042 Semi-Recessed
- 8044 Surface
- 8045 Recessed
- 8046 Trimless
- 8047 Semi-Recessed
- 8049 Surface

## MODEL SELECTION (cont.)

### STAINLESS STEEL

- 8060 Recessed
- 8061 Trimless
- 8062 Semi-Recessed
- 8064 Surface
- 8065 Recessed
- 8066 Trimless
- 8067 Semi-Recessed
- 8069 Surface

### BRASS

- 8080 Recessed
- 8081 Trimless
- 8082 Semi-Recessed
- 8084 Surface
- 8085 Recessed
- 8086 Trimless
- 8087 Semi-Recessed
- 8089 Surface

Call Potter Roemer - Fire Pro for current listings and approvals. Dimensions are subject to manufacturer's tolerance and may change without notice. Potter Roemer - Fire Pro assumes no responsibility for use of void or superseded data. © Copyright Potter Roemer - Fire Pro, Member of Morris Group International™ Please visit [potterroemer.com](http://potterroemer.com) for most current specifications.

**8000 SERIES**

Date: 01/17/20

**MEMBERSHIP**



FIRE EQUIPMENT  
MANUFACTURERS'  
ASSOCIATION

**ONFSA**  
NATIONAL IRRE SPRINKLER ASSOCIATION, INC.



**CASPE**  
American Society of  
Plumbing Engineers



## POTTER ROEMER/FIRE PRO

Headquarters:  
P.O. Box 3527  
City of Industry, CA  
91744 U.S.A.  
Los Angeles Area  
800-366-3473  
626-855-4890

Also in:  
New York (800) 526-4592  
Chicago (800) 547-3473  
Atlanta (800) 762-0542  
Miami (833) 744-3473  
Dallas (866) 644-3473

[www.potterroemer.com](http://www.potterroemer.com)

**PRODUCT OPTIONS**

**DOOR STYLES:**

- A Full Glass, w/ Tempered Safety Glass
- B Break-Glass, w/lock & Break Rite® Handle
- D Duo-Panel w/ Tempered Safety Glass
- DV Duo-Vertical Panel w/ Tempered Safety Glass
- DVL Duo-Vertical Panel w/ Lock, TSG & Break Rite® Handle.
- E Tempered Safety Glass (25 sq. in.) w/ Break Rite® Handle
- F Solid Flush Metal
- FS Solid Flush Metal w/ lock

\*\*NOTE: ALL GLASS DOOR STYLES PROVIDED WITH CLEAR TEMPERED SAFETY GLASS IN COMPLIANCE WITH ANSI Z97-1-1984

**GLAZING MATERIAL:**

- 1 TS Bronze Tempered Safety Glass
- 2 TS Smoke Tempered Safety Glass
- 4 TS Obscure Tempered Safety Glass
- 6 1/8" Clear Acrylic
- 7 1/8" Bronze Acrylic
- 8 1/8" White Acrylic
- 9 1/8" Smoke Acrylic
- 10 1/8" Red Acrylic

**DOOR AND FRAME FINISHES:**

- STEEL: Any polyester paint color, if available; Provide mfg. name and color number
- ALUMINUM: Light, Medium or Dark duranodic
- STAINLESS STEEL: Number 304 Stainless, with #8 mirror finish
- BRONZE: U.S. # 10 Satin finish with clear coating, or dark oxidized, oil rubbed; specify
- RED: For Red Polyester Finish, Add This Suffix
- RR: For Rolled Radius Return, Add This Suffix
- CUSTOM \_\_\_\_\_

**PRODUCT OPTIONS (cont.)**

**FIRE EXTINGUISHER LETTERING:**

- HW Horizontal White
- HB Horizontal Black
- HR Horizontal Red
- VW Vertical White
- VB Vertical Black
- VR Vertical Red
- VAW Vertical Ascending White
- VAB Vertical Ascending Black
- VAR Vertical Ascending Red

**FIRE DEPT. VALVE LETTERING:**

- WH White
- BH Black
- RH Red

Call Potter Roemer - Fire Pro for current listings and approvals. Dimensions are subject to manufacturer's tolerance and may change without notice. Potter Roemer - Fire Pro assumes no responsibility for use of void or superceded data. © Copyright Potter Roemer - Fire Pro, Member of Morris Group International™ Please visit [potterroemer.com](http://potterroemer.com) for most current specifications.

**8000 SERIES**

**MEMBERSHIP**



FIRE EQUIPMENT  
MANUFACTURERS'  
ASSOCIATION



**POTTER ROEMER/FIRE PRO**


Headquarters:  
P.O. Box 3527  
City of Industry, CA  
91744 U.S.A.  
Los Angeles Area  
800-366-3473  
626-855-4890

Also in:  
New York (800) 526-4592  
Chicago (800) 547-3473  
Atlanta (800) 762-0542  
Miami (833) 744-3473  
Dallas (866) 644-3473

[www.potterroemer.com](http://www.potterroemer.com)

**MODEL DIMENSIONS**

Model No.		Wall Mounting	Inside Box Dimensions			Overall Frame		Wall Opening Required			Trim	Inlet Location			Shelf	For Use With	ADA
Steel	Stainless Steel		K	L	M	N	O	W I D T H	H E I G H T	D E P T H		T	X	Y			
8020	8060	Recessed	18	18	8	21 3/4	21 3/4	19	19	8-1/2	-	4	4	9	-	2-1/2" Angle Valves	Yes
8021	8061	Trimless	18	18	8-3/4	21	21	19	19	9-1/4	-	4	4	9	-		Yes
8022	8062	Semi-Recessed	18	18	8	21 1/2	21 1/2	19	19	6-1/2	2	4	4	9	-		Yes
8024	8064	Surface	20	20	9-1/4	-	-	-	-	-	-	-	-	-	-		No
8025	8065	Recessed	14	40	8	17-3/4	43-3/4	15	41	8-1/2	-	4	4	9	12	Up to 20lb. Dry Chem Fire Ext. & 2-1/2" Angle Valves	Yes
8026	8066	Trimless	14	40	8-3/4	17	43	15	41	9-1/4	-	4	4	9	12		Yes
8027	8067	Semi-Recessed	14	40	8	17-1/2	43-1/2	15	41	6-1/2	2	4	4	9	12		Yes
8029	8069	Surface	16	42	9-1/4	-	-	-	-	-	-	-	-	-	12		No
<b>Aluminum</b>	<b>Brass</b>																
8040	8080	Recessed	18	18	8	21 3/4	21 3/4	19	19	8-1/2	-	4	4	9	-	2-1/2" Angle Valves	Yes
8041	8081	Trimless	18	18	8-3/4	21	21	19	19	9-1/4	-	4	4	9	-		Yes
8042	8082	Semi-Recessed	18	18	8	21 1/2	21 1/2	19	19	6-1/2	2	4	4	9	-		Yes
8044	8084	Surface	20	20	9-1/4	-	-	-	-	-	-	-	-	-	-		No
8045	8085	Recessed	14	40	8	17-3/4	43-3/4	15	41	8-1/2	-	4	4	9	12	Up to 20lb. Dry Chem Fire Ext. & 2-1/2" Angle Valves	Yes
8046	8086	Trimless	14	40	8-3/4	17	43	15	41	9-1/4	-	4	4	9	12		Yes
8047	8087	Semi-Recessed	14	40	8	17-1/2	43-1/2	15	41	6-1/2	2	4	4	9	12		Yes
8049	8089	Surface	16	42	9-1/4	-	-	-	-	-	-	-	-	-	12		No



<p>Call Potter Roemer - Fire Pro for current listings and approvals. Dimensions are subject to manufacturer's tolerance and may change without notice. Potter Roemer - Fire Pro assumes no responsibility for use of void or superseded data. © Copyright Potter Roemer - Fire Pro, Member of Morris Group International™ Please visit <a href="http://potterroemer.com">potterroemer.com</a> for most current specifications.</p> <p><b>8000 SERIES</b></p>	<p><b>MEMBERSHIP</b></p>  <p><b>MEMBERSHIP</b></p>	<p><b>POTTER ROEMER/FIRE PRO</b></p> <p>Headquarters: P.O. Box 3527 City of Industry, CA 91744 U.S.A. Los Angeles Area 800-366-3473 626-855-4890</p> <p>Also in: New York (800) 526-4592 Chicago (800) 547-3473 Atlanta (800) 762-0542 Miami (833) 744-3473 Dallas (866) 644-3473</p> <p><a href="http://www.potterroemer.com">www.potterroemer.com</a></p>
--	--	---