

SPECIFICATIONS

BOX

Cold rolled steel with an electrostatically applied, thermally-fused polyester coating with recoatable white finish.

FRAME

Model 8120-8127: **Steel** - Cold rolled steel with recoatable white polyester finish

Model 8140-8147: **Aluminum** - Clear anodized finish

Model 8160-8167: **Stainless Steel** - #304 Stainless steel with #4 finish

Model 8180-8187: **Brass** - Polished finish, clear polyester coated

DOOR is a Full Acrylic Panel.



MODEL FRC8120 (Shown)

MODEL SELECTION

STEEL

- FRC8120 Recessed
- FRC8121 Trimless
- FRC8122 Semi-Recessed
- FRC8125 Recessed
- FRC8126 Trimless
- FRC8127 Semi-Recessed

ALUMINUM

- FRC8140 Recessed
- FRC8141 Trimless
- FRC8142 Semi-Recessed
- FRC8145 Recessed
- FRC8146 Trimless
- FRC8147 Semi-Recessed

MODEL SELECTION (cont.)

STAINLESS STEEL

- FRC8160 Recessed
- FRC8161 Trimless
- FRC8162 Semi-Recessed
- FRC8165 Recessed
- FRC8166 Trimless
- FRC8167 Semi-Recessed

BRASS

- FRC8180 Recessed
- FRC8181 Trimless
- FRC8182 Semi-Recessed
- FRC8185 Recessed
- FRC8186 Trimless
- FRC8187 Semi-Recessed

Call Potter Roemer - Fire Pro for current listings and approvals. Dimensions are subject to manufacturer's tolerance and may change without notice. Potter Roemer - Fire Pro assumes no responsibility for use of void or superseded data. © Copyright Potter Roemer - Fire Pro, Member of Morris Group International™ Please visit potterroemer.com for most current specifications.

FRC8100 SERIES

Date: 09/19/18

MEMBERSHIP



FIRE EQUIPMENT
MANUFACTURERS'
ASSOCIATION

ONFSA
NATIONAL FIRE SPRINKLER ASSOCIATION, INC.



CASPE
American Society of
Plumbing Engineers



POTTER ROEMER/FIRE PRO

Headquarters:
P.O. Box 3527
City of Industry, CA
91744 U.S.A.
Los Angeles Area
800-366-3473
626-855-4890

Also in:
New York (800) 526-4592
Chicago (800) 547-3473
Atlanta (800) 762-0542
Miami (866) 961-3473
Dallas (866) 644-3473

www.potterroemer.com

PRODUCT OPTIONS

DOOR STYLES:

- A Full Acrylic Door w/ Magnetic Catch
- E Full Acrylic Door w/ Scored Insert & Cylinder Lock

1/4" ACRYLIC DOOR COLOR:

- 16 Clear
- 17 Bronze
- 18 White
- 19 Smoke
- 20 Red

FRAME FINISHES:

- STEEL: Any polyester paint color, if available; Provide mfg. name and color number
- ALUMINUM: Light, Medium or Dark duranodic
- STAINLESS STEEL: Number 304 Stainless, with #8 mirror finish
- BRONZE: U.S. # 10 Satin finish with clear coating, or dark oxidized, oil rubbed; specify
- RED: For Red Polyester Finish, Add This Suffix
- RR: For Rolled Radius Return, Add This Suffix
- CUSTOM _____

PRODUCT OPTIONS (cont.)

FIRE EXTINGUISHER LETTERING:

- HW Horizontal White
- HB Horizontal Black
- HR Horizontal Red
- VW Vertical White
- VB Vertical Black
- VR Vertical Red
- VAW Vertical Ascending White
- VAB Vertical Ascending Black
- VAR Vertical Ascending Red

FIRE DEPT. VALVE LETTERING:

- WH White
- BH Black
- RH Red

Call Potter Roemer - Fire Pro for current listings and approvals. Dimensions are subject to manufacturer's tolerance and may change without notice. Potter Roemer-Fire Pro assumes no responsibility for use of void or superseded data. © Copyright Potter Roemer- Fire Pro, Member of Morris Group International™ Please visit potterroemer.com for most current specifications.

FRC8100 SERIES

Date: 09/19/18

MEMBERSHIP



FIRE EQUIPMENT
MANUFACTURERS'
ASSOCIATION



POTTER ROEMER/FIRE PRO

Headquarters:
P.O. Box 3527
City of Industry, CA
91744 U.S.A.
Los Angeles Area
800-366-3473
626-855-4890



Also in:
New York (800) 526-4592
Chicago (800) 547-3473
Atlanta (800) 762-0542
Miami (866) 961-3473
Dallas (866) 644-3473

www.potterroemer.com


MODEL DIMENSIONS

Model No.				Wall Mounting	Inside Box Dimension			Overall Frame		Wall Opening Required			Trim	Shelf	For Use With	ADA
Steel	Aluminum	Stainless Steel	Brass		K	L	M	N	O	W I D T H	H E I G H T	D E P T H				
FRC8120	FRC8140	FRC8160	FRC8180	Recessed	18	18	8	21-3/4	21-3/4	20-1/4	20	9-3/4	5/8	-	2-1/2" Angle valves	Yes
FRC8121	FRC8141	FRC8161	FRC8181	Trimless	18	18	8-3/4	21	21	20-1/4	20	10-1/2	-	-		Yes
FRC8122	FRC8142	FRC8162	FRC8182	Semi-Recessed	18	18	8	21-1/2	21-1/2	20-1/4	20	7-3/4	2	-		Yes
FRC8125	FRC8145	FRC8165	FRC8185	Recessed	14	40	8	17-3/4	43-3/4	16-1/4	42	9-3/4	5/8	12	Up to 20lb. Dry Chem Fire Ext. & 2-1/2" Angle Valves	Yes
FRC8126	FRC8146	FRC8166	FRC8186	Trimless	14	40	8-3/4	17	43	16-1/4	42	10-1/2	-	12		Yes
FRC8127	FRC8147	FRC8167	FRC8187	Semi-Recessed	14	40	8	17-3/4	43-1/2	16-1/4	42	7-3/4	2	12		Yes


ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED



RECESSED



TRIMLESS



SEMI-RECESSED

Call Potter Roemer - Fire Pro for current listings and approvals. Dimensions are subject to manufacturer's tolerance and may change without notice. Potter Roemer - Fire Pro assumes no responsibility for use of void or superseded data. © Copyright Potter Roemer - Fire Pro, Member of Morris Group International™ Please visit potterroemer.com for most current specifications.

FRC8100 SERIES

Date: 09/19/18

MEMBERSHIP



FIRE EQUIPMENT MANUFACTURERS' ASSOCIATION

ONFSA
NATIONAL FIRE SPRINKLER ASSOCIATION, INC.



CASPE
American Society of Plumbing Engineers



POTTER ROEMER/FIRE PRO

Headquarters:
P.O. Box 3527
City of Industry, CA
91744 U.S.A.
Los Angeles Area
800-366-3473
626-855-4890

Also in:
New York (800) 526-4592
Chicago (800) 547-3473
Atlanta (800) 762-0542
Miami (866) 961-3473
Dallas (866) 644-3473

www.potterroemer.com